



# aspire

## MOBILE SHOWER COMMUNE RANGE

(Formerly **ottobock.**)

aspire for...

Comfort

Support

Protection

### NEW FEATURES



Improved Over  
Toilet Clearance



Angle Adjustable  
Backrest



Customisable  
Ultra Low Seat



[www.aspirecare.com.au](http://www.aspirecare.com.au)  
1300 133 120





## Weight Bearing Platform

Easy-slide weight bearing platform footrest slides completely away for transfers





### Integrated Features

- 8° backrest angle ensures patient comfort
- Improved over toilet clearance



- Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm
- 4x total locking stainless steel castors provide brake access from all angles
- Safety arms prevent falls and swing back out of the way for transfers



## Swing Away Footrests



Angle adjustable backrest from 8° to 18° for improved seating comfort




Ultra low seat height of 590mm which can be reduced to 490mm when customised



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility

- Self propelled model available in both frame configurations



See page 8 for seat options (sold separately)


Height adjustable, swing away footrests for optimal positioning and ease of transfers

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066000	WB Platform - 460mm - Att Propelled - S/Steel	995mm	535mm	460mm	305mm	225mm	590mm	560mm
BTC066200	WB Platform - 460mm - Self Propelled - S/Steel	995mm	665mm	460mm	305mm	225mm	590mm	560mm
BTC065900	Swing Away Footrest - 460mm - Att Propelled - S/Steel	895 - 995mm	535mm	460mm	305mm	225mm	590mm	560mm
BTC066100	Swing Away Footrest - 460mm - Self Propelled - S/Steel	895 - 995mm	665mm	460mm	305mm	225mm	590mm	560mm



## Weight Bearing Platform

Easy-slide weight bearing platform footrest slides completely away for transfers





## Integrated Features

- 8° backrest angle ensures patient comfort
- Improved over toilet clearance



- Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm
- 4x total locking stainless steel castors provide brake access from all angles
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- Self propelled model available in both frame configurations



See page 8 for seat options (sold separately)

## Swing Away Footrests



Angle adjustable backrest from 8° to 18° for improved seating comfort



Ultra low seat height of 590mm which can be reduced to 490mm when customised



Height adjustable, swing away footrests for optimal positioning and ease of transfers

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066050	WB Platform - 530mm - Att Propelled - S/Steel	995mm	605mm	530mm	305mm	225mm	590mm	560mm
BTC066055	WB Platform - 530mm - Self Propelled - S/Steel	995mm	735mm	530mm	305mm	225mm	590mm	560mm
BTC066060	Swing Away - 530mm - Att Propelled - S/Steel	995mm	605mm	530mm	305mm	225mm	590mm	560mm
BTC066065	Swing Away - 530mm - Self Propelled - S/Steel	995mm	735mm	530mm	305mm	225mm	590mm	560mm



## Weight Bearing Platform



Height adjustable reinforced armrests offer drop flat positioning to assist with lateral slide transfers



Easy-slide weight bearing platform footrest slides completely away for transfers



### Integrated Features

- Heavy duty reinforced wide frame can support bariatric users up to 400kg
- 4x total locking stainless steel castors provide brake access from all angles



See page 8 for seat options (sold separately)

## Swing Away Footrests



Ultra low seat height of 590mm which can be reduced to 490mm when customised



Angle adjustable backrest from 8° to 18° for improved seating comfort



Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm




Height adjustable, swing away footrests for optimal positioning and ease of transfers

### Integrated Features

- 8° backrest angle ensures patient comfort
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- 4x total locking stainless steel castors provide brake access from all angles
- Self Propelled Model Available



See page 8 for seat options (sold separately)

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC061400	WB Platform - 600mm - Att Propelled - S/Steel	995mm	725mm	600mm	300mm	290mm	590mm	560mm
BTC061300	Swing Away - 600mm - Att Propelled - S/Steel	995mm	675mm	600mm	305mm	225mm	590mm	560mm
BTC061305	Swing Away - 600mm - Self Propelled - S/Steel	995mm	805mm	600mm	305mm	225mm	590mm	560mm



## Swing Away Footrests with Calf Pad

Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility



Height adjustable, swing away footrests with calf pads for optimal positioning, support and ease of transfers


Tool-free height adjustment to 4 settings allow the commode to be easily adapted to varying needs

### Integrated Features

- 30° of backrest angle adjustment in 10° increments for effortless repositioning and maximum user comfort





- -5° to 35° of gas-assisted tilt-in-space functionality minimises manual handling efforts during the showering process



- 4x total locking stainless steel castors provide brake access from all angles

- Open back straps provide greater access for bathing needs

- Backrest may be configured as full length or 3/4 length to accommodate an advanced headrest



See page 8 for seat options (sold separately)

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066030	Swing Away - 460mm - Tilt & Recline	1315 - 1485mm	560mm	460mm	900mm	275mm	460 - 630mm	460 - 620mm
BTC066040	Swing Away - 530mm - Tilt & Recline	1315 - 1485mm	630mm	530mm	900mm	275mm	460 - 630mm	460 - 620mm



## Swing Away Footrests



Padded seat and arms for maximum comfort




4x lockable castors maximise safety by providing carer access to a brake at all angles around the commode



Comes standard with pan and carrier

## Integrated Features

- Super Heavy Duty Bariatric design with 790mm seat and 350kg SWL



- Anti-bacterial frame coating for improved infection control

- Removable arms to assist with positioning and allow lateral slide transfers

- Height adjustable, swing away footrests for optimal positioning and ease of transfers



Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC061200	Bariatric Shower Commode	990mm	900mm	790mm	430mm	170mm	570mm	570mm



## Attendant Propelled

Height adjustable, swing away footrests for optimal positioning and ease of transfers



4x total locking, height adjustable stainless steel castors provide brake access from all angles


## Self Propelled

24 inch lightweight self propelling wheels with hand brakes and anti-tippers




### Integrated Features

- Ideal for in home and community use
- Lightweight Aluminium design
- Easy clean, padded seat, back and arms



- Tool free height adjustment allows the commode to be easily adapted to varying needs





- Swing back comfort arms assist transfers
- Bowl and carrier for improved infection control



Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC068010	Aluminium Commode - Attendant Propelled	990 - 1040mm	460mm	440mm	495mm	220mm	525 - 580mm	525 - 580mm
BTC068020	Aluminium Commode - Self Propelled	970 - 995mm	610mm	440mm	490mm	235mm	525 - 570mm	525 - 580mm

### Warranty



Components



Corrosion



## Padded Commode Seats

DVA Contracted

- Moulded and seamless soft PU seats designed for comfort and durability
- Easy clean, fully sealed surface for infection control
- Choose the size appropriately to fit your Aspire Shower Commode
- Adaptable to most shower commode brands

*M6 Tri Nut assembly kit needed for seat attachment. Comes as standard with all commodes. Available as a spare part if lost (GSP342405)*

Code	Description	Width
BTC066600	Open Seat	460mm
BTC066700	Closed Seat	460mm
BTC066750	Open Seat	530mm
BTC066800	Open Seat	600mm

## Hand Made Pressure Reducing Commode Seats

DVA Contracted

- Hand made pressure care seat surface designed for comfort during extended use and pressure injury prevention
- European Dartex anti-microbial four-way stretch fabric is waterproof and breathable
- Multi-layered foam, with memory foam top layer, to maximise immersion and envelopment for pressure distribution
- Sealed seams for infection control management
- Adaptable seat attachment to suit all shower commode brands
- Max seat height: 65mm
- Fully customisable options to suit specific needs (see script form at [www.aidacare.com.au](http://www.aidacare.com.au) or attached or on pages 10 and 11)



**CUSTOMISATION AVAILABLE**

Code	Description	Width
BTC089122	Pressure Reducing - Open Front	320mm
BTC089124	Pressure Reducing - Closed Front	320mm
BTC089126	Pressure Reducing - Open Front	400mm
BTC089128	Pressure Reducing - Closed Front	400mm
BTC089130	Pressure Reducing - Open Front	460mm
BTC089140	Pressure Reducing - Closed Front	460mm
BTC089150	Pressure Reducing - Open Left	460mm
BTC089160	Pressure Reducing - Open Right	460mm
BTC089170	Pressure Reducing - Open Front	500mm
BTC089180	Pressure Reducing - Closed Front	500mm
BTC089190	Pressure Reducing - Open Front	550mm
BTC089200	Pressure Reducing - Closed Front	550mm
BTC089210	Pressure Reducing - Open Front	600mm
BTC089220	Pressure Reducing - Closed Front	600mm
BTC089230	Pressure Reducing - Open Front	650mm
BTC089240	Pressure Reducing - Closed Front	650mm

Code	Description
BTC089250	Pressure Reducing - Customised (See Script Form)



## ROHO® Padded Seats

- High level pressure relief for high needs users
- Interconnected air cells help disperse pressure
- Includes cover
- Fully washable

Code	Description
BTC067500	Closed Seat - 380mm x 425mm
BTC067900	Closed Seat - 425mm x 425mm
BTC067600	Closed Seat - 425mm x 470mm
BTC067300	Closed Seat - 470mm x 470mm

## Self Propelling Conversion Kit

DVA Contracted



- Converts Attendant Propelled Shower Commodes into Self Propelling version - not compatible with Bariatric (BTC061200, BTC061400), Tilt & Recline (BTC066030, BTC066040) or Aluminium Shower Commodes (BTC068010, BTC068020).

- Self propelling kit includes:
- 22" solid wheels with black spokes and push rims;
- Quick release axles and mounting hardware;
- Anti-tippers with roller wheels; and
- Clamp-on hand brakes

Code	Description
BTC082900	Self Propelling Conversion Kit






✓ Shower Commode Accessories are registered in the ARTG, AUST R ARTG 286695

✓ All Aspire Shower Commode Accessories are DVA Contracted

### Commode Bowl & Pan Carrier



- Stainless steel carrier slides easily into mobile shower commode frame under seat
- Carries a commode bowl with lid, or standard size bed pan
- Rear access handle

Code	Description
BTC066400	Pan Carrier - 460mm - 600mm

### Commode Bowl & Bed Pan



- Assists in the collection of waste
- Bowl with lid & handle for discreet disposal
- Bowl washable to 95°
- Bed pan autoclavable

Code	Description
BTC081610	Commode bowl w/lid & handle
BTT151800	Bed Pan

### Elevating Legrests



- Assists in leg and foot positioning or elevation, most commonly to treat oedema
- Legrest is angle adjustable to six positions
- Footplate is height and angle adjustable
- Fits all Aspire Shower Commodes with swing away legrests

Code	Description
BTC067110	Elevating Legrest - Left
BTC067115	Elevating Legrest - Right

### Stump Support



- Adjustable support for amputees
- Fits both left and right side on all Aspire Shower Commodes (except BTC061200, BTC068010 & BTC068020)
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067105	Stump Support

### Advanced Headrest



- Height and depth adjustable padded headrest for head and neck positioning and support
- Fits all Aspire Shower Commodes except BTC061200, BTC068010 & BTC068020
- Adaptable to other brands

Code	Description
BTC067050	Advanced Headrest

### Lateral Supports



- Width and height adjustable thoracic positioning and lumbar spine support
- Fits all Aspire Shower Commodes except BTC061200, BTC068010 & BTC068020
- Adaptable clamp also fits other shower commode brands

Code	Description
WCA867010	Lateral Supports

### Oxygen Bottle Carrier



- 140mm diameter stainless steel holder suits sizes Oxygen Bottle sizes C to D
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067200	Oxygen Bottle Carrier

### Adjustable Pelvic Belt



- Adjustable belt to assist with pelvic and lower thoracic positioning and safety
- Durable and washable to 95°
- Plastic buckle reduces chill when in contact with users skin

Code	Description
BTC067100	Adjustable Pelvic Belt

### Adjustable IV Pole



- Clamp-on stainless steel pole to organise intravenous equipment
- Height adjustable
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067103	Adjustable IV Pole

### Technical Support

For technical support, including user manuals or spare parts, and for further information please contact Aidacare on:



1300 133 120



www.aidacare.com.au



**Custom Made Shower Commode Seats - Script Form**

**Client** Name: \_\_\_\_\_ Date: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Address: \_\_\_\_\_

**Therapist** Name: \_\_\_\_\_ Email: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

**Aidacare Representative** Name: \_\_\_\_\_ Email: \_\_\_\_\_

Please complete all relevant details below in **1** to **7** and send completed script form to [commodeseats@aidacare.com.au](mailto:commodeseats@aidacare.com.au)

**1** Please choose one:  Order - Please provide order #: \_\_\_\_\_ **or**  Quote Request

**2** Which brand of shower commode will the seat be attached to? (Required for attachment type): \_\_\_\_\_

**3** Choose your Fabric

PU Coated 4 way Stretch Fabric (Standard seat thickness 70mm with 30mm memory foam top layer) 

Medical Grade White Vinyl (Standard seat thickness 50mm) 

**4** Choose your Seat Configuration (MUST CHOOSE ONE)


Closed Front  Open Front  Open Right  Open Left

**5** Optional Seat Configuration (CHOOSE ONE, BOTH OR NONE)

Right Bite (Not with Open Right)  Left Bite (Not with Open Left)

**6** Specify Relevant Seat Dimensions

MEASURE	DIMENSIONS (MM)	MEASURE	DIMENSIONS (MM)
1 Seat Width		8 Left Bite Depth (from side)	
2 Seat Depth		9 Left Bite Opening	
3 Hole Length		10 Right Bite from Rear	
4 Hole Width		11 Right Bite Depth (from side)	
5 Hole From Rear		12 Right Bite Opening	
6 Hole Opening		13 Seat Thickness (Std for PU is 70mm / Vinyl is 50mm)	
7 Left Bite from Rear			



**7** Additional Information - Notes: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Office Use Only:**

Received by: \_\_\_\_\_ Checked by: \_\_\_\_\_  
 Completed by: \_\_\_\_\_ Completed date: \_\_\_\_\_  
 Serial #/s: \_\_\_\_\_

Serial number for one seat = Order number (e.g. ORD00400500)  
 Serial number for multiple seats on one order = Order number (e.g. ORD00400500-1, ORD00400500-2 etc)



ASPIRE SHOWER COMMODES ACCESSORIES MATRIX

Accessories Fit Commode Code(s)

Code	Equipment Description	DVA:	BTC066000	BTC066200	BTC066050	BTC066055	BTC061400	BTC065900	BTC066100	BTC066060	BTC066065	BTC061300	BTC061305	BTC066030	BTC066040	BTC061200	BTC068010	BTC068020
			WB Platform					Swing Away Footrests						Tilt & Recline			Aluminium	
			BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04
<b>Padded Seats</b>																		
BTC066600	460mm Open	BE04																
BTC066700	460mm Closed	BE04																
BTC066750	530mm Open	BE04																
BTC066800	600mm Open	BE04																
<b>Hand Made Pressure Seat - Customisation Available</b>																		
BTC089130	460mm Open Front	BE04																
BTC089140	460mm Closed Front	BE04																
BTC089150	460mm Open Left	BE04																
BTC089160	460mm Open Right	BE04																
BTC089170	500mm Open Front	BE04																
BTC089180	500mm Closed Front	BE04																
BTC089190	550mm Open Front	BE04																
BTC089200	550mm Closed Front	BE04																
BTC089210	600mm Open Front	BE04																
BTC089220	600mm Closed Front	BE04																
BTC089230	650mm Open Front	BE04																
BTC089240	650mm Closed Front	BE04																
<b>ROHO Padded Seat - Additional Accessory for Seats</b>																		
BTC067500	425mm Closed	BE04																
BTC067900	425mm Closed	BE04																
BTC067600	470mm Closed	BE04																
BTC067300	470mm Closed	BE04																
<b>Other Accessories</b>																		
BTC082900	Self Propelling Kit	BE04																
BTC066400	Pan Carrier	BE04																
BTC081610	Commode Bowl	BE04																
BTT151800	Bed Pan	BE04																
BTC067110	Elevating Leg Rest - L	BE04																
BTC067115	Elevating Leg Rest - R	BE04																
BTC067105	Stump Support	BE04																
BTC067050	Advanced Head Rest	BE04																
WCA867010	Lateral Support	BE04																
BTC067200	Oxygen Bottle Carrier	BE04																
BTC067100	Adjustable Pelvic Strap	BE04																
BTC067103	Adjustable IV Pole	BE04																



aspire

# ASSOCIATED PRODUCTS

RAISED TOILET SEATS



OVER TOILET AIDS



SHOWER STOOLS & CHAIRS



CRUTCHES, FRAMES & STICKS



SCOOTERS



OVERBED TABLES



BED STICKS & POLES



FOAM MATTRESSES



WHEELCHAIRS



COMMODOES, URINALS & BED PANS



LIFTERS & SLINGS



BEDS



SEAT WALKERS



POWER WHEELCHAIRS




PRESSURE CARE SEATING



LIFT & RECLINE CHAIRS



Distributed by:



ASBR19.53 221118

