JOBST® SOSOFT

8-15mmHg Compression Sock

THE EXTRA SOFT COMPRESSION SOCKS FOR COMFORTABLE MOMENTS.

JOBST® soSoft compression socks provide graduated compression to help support circulation and are an integral part of a skin tear protocol, helping with prevention and treatment. ISTAP Best Practice Recommendations for the Prevention and Management of Skin Tears in Aged Skin, recommend that when treating skin tears on lower limbs, low levels of compression - 10mmHg should be considered for all patients.[1]

Please escalate to Wound Care Specialist if:

- Foot or leg becomes red, hot and swollen
- Spreading infection of leg or foot
- Acute and chronic limb ischaemia or recent/current treatment for PAD
- Suspected DVT
- Suspected skin cancer
- In acute cardiac failure or palliative[2]



NON-HEALING

If the skin tear has not healed within 2 weeks, the recommendation is for a full vascular assessment to be carried out, and if the outcome shows it is safe to do so, compression therapy may be increased to 40mmHg.[1] Please refer to clinical specialist.

HOW TO MEASURE

cC – Calf
Circumference at largest dimension **cC**

cB – Ankle
Circumference at smallest dimension **cB**

Each leg is measured independently. Measure early in the morning when possible as swelling often increases throughout the day.





Size	S	M	L	XL
Ankle Circumference	18 - 21 cm	20 - 24 cm	22 - 26 cm	24 - 28 cm
Calf Circumference	28 - 38 cm	30 - 42 cm	32 - 46 cm	34 - 50 cm
AUS Women's Shoe	4.5 - 6.5	7 - 9	9.5 - 11	11.5 - 13.5
AUS Men's Shoe	3.5 - 5.5	6 - 8	8.5 - 10	10.5 - 12

Shoe size alone is not an indicator for correct sizing. Measurements of calf and ankle circumference are mandatory for the proper performance of this product.

Length	S	M	L	XL	Colour
	Closed Toe	Closed Toe	Closed Toe	Closed Toe	
Knee High	73679-11	60562-01	73679-31	60562-03	Black
	73680-12	73680-22	73680-32	60562-23	Sand

essity

JOBST®, an Essity brand

ESS1194
10/2025

Always read the label and follow the directions for use.

1 Wounds UK (2020) Best Practice Statement: Management of lower limb skin tears in adults. Wounds UK, London.
2 Wounds UK BPS Primary and secondary prevention in lower leg wounds Fletcher (2024)



JOBST® **General Care** Instructions

Washing Instructions

- Hand or gentle machine warm wash at 40 degrees celsius (Laundry bag recommended)
- Use mild liquid detergent
- Do not use powder detergent as it clogs elastic fibres
- Rinse well to remove all traces of detergent
- Do not bleach

For garments with silicone band:

The use of skin care products (such as skin creams, body lotion or powder) as well as various skin types (such as dry or peeling skin) and hair growth, may prevent the silicone band from keeping the thigh high in place. Therefore, moisturisers should be well absorbed before applying stockings.

We recommend the following steps to maximise the grip performance:

1. Turn the garment inside out before washing
2. Before the main wash, thoroughly hand wash the silicone band using a delicate fabric detergent. Concentrate on removing any lotions, hair or foreign material from the silicone.

Drying Instructions

- Dry JOBST® UltraSheer, JOBST® Travel Socks and JOBST® UlcerCARE™ liner either indoors or in the shade, laid flat
- JOBST® forMen Casual, ActiveWear, Sport, soSoft, forMen, Relief and UlcerCARE™ outer stocking can all be tumble dried at low temperature
- Do not wring



Do not bleach



Do not iron



Do not dry clean

Please refer to the product label and / or package insert for full instructions on the safe use of these products.

Always read the label and use only as directed. If symptoms persist, see your doctor / healthcare professional.

essity

JOBST®, an Essity brand

Always follow the directions for use.

ESS0763
07/2023

Essity Health & Medical
PO Box 337, Mount Waverley, Victoria, Australia 3149
medical.essity.com.au
jobst.com.au

JOBST® Customer Service AU
T 1300 998 810 F 1300 998 820
JOBST® Customer Service NZ
T 0508 998 810 F 0508 998 820