



# aspire

## BATHROOM

aspire for...  
safety  
comfort  
support



### ASPIRE BATHROOM RANGE

Shower Chairs

Shower Stools

Over Toilet Aids

Toilet Surround Frame

Raised Toilet Seats

Associated Products



# aspire SHOWER CHAIR

- ✓ AS/NZ Approved
- ✓ TGA Registered
- ✓ DVA Approved



## MODELS

BTS118000	Shower Chair with Arms - Steel
BTS118005	Shower Chair with Arms - Aluminium

## WARRANTY

CORROSION 5 YEARS

STRUCTURE 12 MONTHS

1	Safe Working Load (S.W.L) of 200kg. Tested to AS/NZS3973.7:2009	5	All frames are individually treated for corrosion resistance
2	Contoured plastic seat with drainage holes and windows – Provides postural support, improves drainage and reduces skin adhesion	6	Raised armrests – Assist the user transferring on and off the chair
3	Height adjustable legs – Easy push button height adjustment for changing needs	7	Durable non-slip feet – Provide excellent grip and stability in wet conditions. Stainless steel washer within enhances durability
4	Additional height increments on one leg – Accommodates uneven surfaces	8	Heavy duty, reinforced frame accommodates very high SWL

OVERALL HEIGHT	OVERALL WIDTH	OVERALL DEPTH	SEAT DEPTH	SEAT WIDTH	BETWEEN ARMS	SEAT HEIGHT	UNIT WEIGHT	S.W.L
								
735-910 mm	512 mm	570 mm	400 mm	440 mm	470 mm	375-550 mm	Alum: 3.1 kg Steel: 3.4 kg	200 kg

# aspire SHOWER CHAIR – WIDE

- ✓ AS/NZ Approved
- ✓ TGA Registered
- ✓ DVA Approved



## MODELS





- BTS118010 Shower Chair with Arms - Wide - Steel
- BTS118015 Shower Chair with Arms - Wide - Aluminium

## WARRANTY

CORROSION 5 YEARS

STRUCTURE 12 MONTHS

1	Safe Working Load (S.W.L) of 200kg. Tested to AS/NZS3973.7:2009	5	All frames are individually treated for corrosion resistance
2	Contoured plastic seat with drainage holes and windows - Provides postural support, improves drainage and reduces skin adhesion	6	Raised armrests – Assist the user transferring on and off the elevated seat
3	Height adjustable legs – Easy push button height adjustment for changing needs	7	Durable non-slip feet – Provide excellent grip and stability in wet conditions and a stainless steel washer within enhances durability
4	Additional height increments on one leg – Accommodates uneven surfaces	8	Reinforced wide frame – Provides stability for larger users

OVERALL HEIGHT	OVERALL WIDTH	OVERALL DEPTH	SEAT DEPTH	SEAT WIDTH	BETWEEN ARMS	SEAT HEIGHT	UNIT WEIGHT	S.W.L
 735-910 mm	 570 mm	 570 mm	 400 mm	 440 mm	 525 mm	 375-550 mm	Alum: 3.3 kg Steel: 3.9 kg	200 kg

# aspire SHOWER STOOL



- AS/NZ Approved
- TGA Registered
- DVA Approved

BTS119025

## MODELS

BTS119000	Shower Stool – Steel
BTS119005	Shower Stool – Aluminium
BTS119020	Shower Stool with Padded Seat ( PS ) – Steel
BTS119025	Shower Stool with Padded Seat & Back ( PS & B ) – Steel

## WARRANTY

**CORROSION 5 YEARS**


**STRUCTURE 12 MONTHS**

<b>1</b>	Safe Working Load (S.W.L) of 175kg. Tested to AS/NZS3973.7:2009	<b>5</b>	Seat with anterior tilt – Facilitates standing from sitting and provides greater comfort for stiff or painful hips
<b>2</b>	Clip on seat or padded back attachment – For easy assembly and cleaning	<b>6</b>	Raised armrests – Assist the user transferring on and off the stool
<b>3</b>	Height adjustable legs – Easy push button height adjustment for changing needs	<b>7</b>	Durable non-slip feet – Provide excellent grip and stability in wet conditions and a stainless steel washer within enhances durability
<b>4</b>	All frames are individually treated for corrosion resistance	<b>8</b>	Additional height increments on one leg – Accommodates uneven surfaces

OVERALL HEIGHT	SEAT HEIGHT	OVERALL WIDTH	OVERALL DEPTH	SEAT DEPTH	SEAT WIDTH	BETWEEN ARMS	UNIT WEIGHT	S.W.L
670-855 mm	470-655 mm	545 mm	400 mm	310 mm	375 mm	495 mm	Alum: 3.1 kg Steel: 3.8 kg	175 kg

# aspire SHOWER STOOL – WIDE

- ✓ AS/NZ Approved
- ✓ TGA Registered
- ✓ DVA Approved



## MODELS

- BTS119010 Shower Stool - Wide - Steel
- BTS119015 Shower Stool - Wide - Aluminium

## WARRANTY

CORROSION 5 YEARS

STRUCTURE 12 MONTHS

1	Safe Working Load (S.W.L) of 175kg. Tested to AS/NZS3973.7:2009	6	Raised armrests - Assist the user transferring on and off the stool
2	Clip on seat attachment – For easy assembly and cleaning	7	Durable non-slip feet – Provide excellent grip and stability in wet conditions and a stainless steel washer within enhances durability
3	Height adjustable legs – Easy push button height adjustment for changing needs	8	Additional height increments on one leg – Accommodates uneven surfaces
4	All frames are individually treated for corrosion resistance	9	Comfortable wide seat with drainage holes – For increased support and hygiene
5	Seat with anterior tilt – Facilitates standing from sitting and provides greater comfort for stiff or painful hips	10	Reinforced wide frame – Provides stability for larger users

OVERALL HEIGHT	SEAT HEIGHT	OVERALL WIDTH	OVERALL DEPTH	SEAT DEPTH	SEAT WIDTH	BETWEEN ARMS	UNIT WEIGHT	S.W.L
575-765 mm	425-615 mm	570 mm	500 mm	365 mm	420 mm	525 mm	Alum: 3.1 kg Steel: 3.8 kg	175 kg

# aspire OVER TOILET AID

-  AS/NZ Approved
-  TGA Registered
-  DVA Approved



BTT145110

## WARRANTY


CORROSION 5 YEARS

STRUCTURE 12 MONTHS

## MODELS

- BTT145000 Over Toilet Aid - Steel
- BTT145005 Over Toilet Aid - Aluminium

1	Safe Working Load (S.W.L) of 175kg. Tested to AS/NZS3973.7:2009	5	All frames are individually treated for corrosion resistance
2	Raised armrests – Assist the user transferring on and off the Over Toilet Aid	6	Removable, moulded splash guard provided – Easily removed for transport and cleaning
3	Height adjustable legs – Easy push button height adjustment for changing needs	7	Durable non-slip feet – Provide excellent grip and stability in wet conditions. Stainless steel washer within enhances durability
4	Comfortable, contoured seat with clip on attachment – For easy assembly and cleaning. Padded seat available, sold separately (BTT145110)	8	Additional height increments on one leg – Accommodates uneven surfaces

OVERALL HEIGHT	OVERALL WIDTH	OVERALL DEPTH	SEAT DEPTH	SEAT WIDTH	BETWEEN ARMS	SEAT HEIGHT	UNIT WEIGHT	S.W.L
								
700-880 mm	512 mm	625 mm	435 mm	370 mm	460 mm	450-630 mm	Alum: 3.4 kg Steel: 4.2 kg	175 kg

# aspire OVER TOILET AID – WIDE

-  AS/NZ Approved
-  TGA Registered
-  DVA Approved



BTT145110

## WARRANTY


CORROSION 5 YEARS

STRUCTURE 12 MONTHS

### MODELS

- BTT145010 Over Toilet Aid - Wide - Steel
- BTT145015 Over Toilet Aid - Wide - Aluminium

1	Safe Working Load (S.W.L) of 175kg. Tested to AS/NZS3973.7:2009	6	Removable, moulded splash guard provided – Easily removed for transport and cleaning
2	Raised armrests - Assist the user transferring on and off the over toilet aid	7	Durable non-slip feet – Provide excellent grip and stability in wet conditions and a stainless steel washer within enhances durability
3	Height adjustable legs – Easy push button height adjustment for changing needs	8	Additional height increments on one leg – Accommodates uneven surfaces
4	Comfortable, contoured seat with clip on attachment – For easy assembly and cleaning. Padded seat available, sold separately (BTT145110)	9	Reinforced wide frame – Provides stability for larger users
5	All frames are individually treated for corrosion resistance		

OVERALL HEIGHT	OVERALL WIDTH	OVERALL DEPTH	SEAT DEPTH	SEAT WIDTH	BETWEEN ARMS	SEAT HEIGHT	UNIT WEIGHT	S.W.L
								
700-880 mm	570 mm	625 mm	435 mm	370 mm	525 mm	450-630 mm	Alum: 3.4 kg Steel: 4.2 kg	175 kg

# aspire TOILET SURROUND FRAME




- ✓ AS/NZ Approved
- ✓ TGA Registered
- ✓ DVA Approved

**MODELS**  
BTT155100 | Toilet Surround - Aluminium

**WARRANTY**  
CORROSION 5 YEARS  
STRUCTURE 12 MONTHS

1	Safe Working Load (S.W.L) of 175kg - Tested to AS/NZS3973.7:2009	4	Durable non-slip feet – Provide excellent grip and stability in wet conditions and a stainless steel washer within enhances durability
2	Height adjustable frame – Easy push button height adjustment for changing needs	5	Additional height increments on one leg – Accommodates uneven surfaces
3	Raised armrests – Assist the user transferring on and off the toilet		



# aspire RAISED TOILET SEAT



- ✓ AS/NZ Approved
- ✓ TGA Registered
- ✓ DVA Approved



150 mm (6")

100 mm (4")

50 mm (2")

## MODELS

BTT149800	Toilet Seat Raiser - 50mm - No Lid
BTT150200	Toilet Seat Raiser - 100mm - No Lid
BTT150300	Toilet Seat Raiser - 150mm - No Lid
BTT149900	Toilet Seat Raiser - 50mm - With Lid
BTT150100	Toilet Seat Raiser - 100mm - With Lid
BTT150400	Toilet Seat Raiser - 150mm - With Lid

## WARRANTY

CORROSION 5 YEARS

STRUCTURE 12 MONTHS

1	Three heights available – helps facilitate sit-to-stand transfers for safe and comfortable toileting	4	Fully sealed structure – Easy to clean for increased infection control
2	Contoured plastic seat – Comfortable and durable	5	Generous cut outs at the front and rear – Facilitates personal care and hygiene
3	Available with or without lid	6	Two adjustable mounting brackets – Provide an adjustable, secure fit

OVERALL HEIGHT	UNIT WEIGHT	S.W.L
 2" (50mm) 4" (100mm) 6" (150 mm)	 1.4 kg	 200 kg



# BATHROOM RANGE



Bath/Shower Boards & Transfer Benches



Maxi Chairs, Stools & OTAs



Bath Sponges, Washers & Wipers



Bath Steps



Bath Lifts



Hand Held Showers



Grab Rails



Swivel Bathers



# OTTOBOCK SHOWER COMMODES

Aidacare are proud to present the Ottobock range of Mobile Shower Commodes and accessories. Designed and built to an exceptional standard to accommodate and assist both users and carers needs, the high quality and low-maintenance range is well known and reliable favourite of community carers, aged care and maintenance managers alike.



460MM WEIGHT-BEARING PLATFORM COMMODE



530MM WEIGHT-BEARING PLATFORM COMMODE



600MM WEIGHT-BEARING PLATFORM COMMODE (400KG CAPACITY)



410MM FOOTREST COMMODE (SMALL)



460MM SWING AWAY FOOTREST COMMODE



600MM SWING AWAY FOOTREST COMMODE



460MM TILT IN SPACE COMMODE



# ASSOCIATED PRODUCTS



LIFTERS & SLINGS



TRANSFER AIDS



DAILY LIVING AIDS



THERAPY & EXERCISE



CRUTCHES,  
FRAMES & STICKS



SCOOTERS



OVERBED TABLES



BED STICKS & POLES



FOAM MATTRESSES



AIR MATTRESSES



COMMODOES  
URINALS & BED PANS



HEMOCARE BEDS



AC BEDS



LAUNDRY & CLEANING



SHOWER COMMODOES



BATH BOARDS & BENCHES



SEAT WALKERS



WHEELCHAIRS



STD POWER WHEELCHAIRS



PRESSURE CUSHIONS




DAY CHAIRS



LIFT & RECLINE CHAIRS

Distributed by:



ASBRO6.16 040416

